

## **Stainless Steel Pipe Fittings**

M Material: SUS316






Part Numl	ber	R (PT)	T	L	В	С	F	E	н	Squa	are	Unit Price	Volume Discount Rate
Type	D	T Selection	Rc (PT)		Р	٥		_		H <sub>1</sub>	H <sub>2</sub>	1 ~ 9 pc(s).	10 ~ 30 pcs.
	4	1	1/8	34.8	11	17.8	15.3	3.5	27.5	14	14		
	-	2	1/4	35.8	13	17.8	15.3	3.5	28.5	14	17		
		1	1/8	34.9	11	17.9	15.4	5	27.5	14	14		
	6	2	1/4	35.9	13	17.9	15.4	5	28.5	14	17		
SKUF		3	3/8	37.9	14	17.9	15.4	5	30.5	14	22		
SKUF	8	2	1/4	36.8	13	18.8	16.8	6	29	15.87	17		
	ľ	3	3/8	38.8	14	18.8	16.8	6	31	15.87	22		
	10	2	1/4	37.8	13	19.8	17.8	8	30	19	17		
	10	3	3/8	39.8	14	19.8	17.8	8	32	19	22		
	12	3	3/8	42.8	14	22.8	22.8	10	32	23	22		

RoHS10


Part Number Type D		R (PT) T Selection	T R (PT)	L	Е	В	l <sub>1</sub>	н		Volume Discount Rate 10 ~ 30 pcs.
Туре	U	1 Ociccuon	` '						1 ~ 9 pc(s).	10 ~ 30 pcs.
	4	1	1/8	30.5	2.5	9	18	10		
	6	1	1/8	34	3	10	19	12		
	•	2	1/4	39	3	13	19	14		
		1	1/8	34	6	10	19	14		
SKMA	8	2	1/4	34	6	12	18	14		
		3	3/8	40	6	14	19	17		
	10	2	1/4	44	8	13	24	14		
	10	3	3/8	45	8	14	24	17		
	12	3	3/8	49	10	14	28	17		




Stainless Steel Pipe Fittings Union for Partition	SKUWE
	H B C C
RoHS10	M Material: SUS316

Part Numl	Part Number		T	L	1.	1.0	Lз	e	В	F	Е	н	Unit Price	Volume Discount Rate
Type	D	T Selection	R (PT)	-	Li	L2	L3	k	Р	Г	_	п	1 ~ 9 pc(s).	10 ~ 30 pcs.
	4	1	1/8	21	41	27.8	55.6	20.5	11	15.3	3.5	14		
	6	1	1/8	21	41	27.9	55.8	20.5	11	15.4	5	14		
	0	2	1/4	23	43	28.9	57.8	21.5	13	15.4	5	14		
SKUTM	8	1	1/8	22	44	29.8	59.6	22	11	16.8	5	15.87		
		2	1/4	23	44	29.8	59.6	22	13	16.8	6	15.87		
	10	2	1/4	25	46	30.8	61.6	23	13	17.8	7	19		
	12	3	3/8	30	55	38.3	76.6	27.5	14	22.8	9	23		


Part Number Type D		١. ا	В	С	F	Ε	h	н	e	Installation		Unit Price	Volume Discount Rate
		-	Р						k	Hole Dia.	Installation	1 ~ 9 pc(s).	10 ~ 30 pcs.
	4	59.6	28	17.8	15.3	3.5	17	14	45	11.5	13		
	6	59.8	28	17.9	15.4	5	17	14	45	11.5	13		
SKUWE	8	62.6	29	18.8	16.8	6	17	15.87	47	13.2	13.5		
	10	64.6	30	19.8	17.8	8	22	19	49	16.2	14.5		
	12	73.6	32	22.8	22.8	10	26	23	52	19.5	16		






	Par	t Number	Square	Unit Price	Volume Discount Ra
	Type	D	Nut H	1 ~ 9 pc(s).	10 ~ 30 pcs.
		3.18 (1/8 Inch)	12		
		4	14		
		6	14		
		6.35 (1/4 inch)	14		
	SKPGK	8	15.87		
		9.53 (3/8 inch)	19		
		10	19		
		12	23		
		12.7 (1/2 inch)	23		









Part	Number	Unit Price	Volume Discount Rate		
Type	D	1 ~ 9 Set(s)	10 ~ 30 Sets		
	3.18(1/8 Inch)				
	4				
	6				
	6.35 (1/4 inch)				
SKFPK	8				
	9.53 (3/8 inch)				
	10				
	12				
	12.7 (1/2 inch)				

Allowable Operating Pressure by Thickness of Stainless Steel Pipe (MPa)									
Pipe O.D. (mm)	Thickness (mm)								
ripe U.D. (IIIIII)	0.5	1.0	1.5	2.0					
4	30.7	61.5	-	-					
6	-	41.0	61.5	-					
8	-	30.7	46.1	-					
10	-	24.6	36.9	-					
12	-	20.5	30.7	41.0					








[Applicable Pipe Specification]

· Applicable Type of Pipe: Stainless Steel Pipe

Stainless steel pipes (JIS G3459) subject to SUS304TP and SUS316TP for stainless steel pipes.

- · Pipe Surface Hardness: HV190 or less (HRB90 or less) · O.D. Tolerance: ±0.05mm
- · Condition of Pipe Surface: Avoid using pipes with defects such as surface roughness and scratches.

Allowable Opera	ting Pressure	by Thickness	of Stainless S	Steel Pipe (MPa) (Inch)
Dina O.D. (mm)	Th	ickness (m	m)	
Pipe 0.D. (mm)	1.0	1.5	2.0	





Part Number